

3M™ Wheel & Tire Cleaner

Data Sheet

3M Part No.(s) **3M Part Descriptor(s)**
39036 16 ounce bottle with spray trigger

Detailed Product Description

3M™ Wheel & Tire Cleaner cleans wheels and tires in one easy step. Removes brake dust, road tar, grease and grime. Cleans soil and scuffs from tire side walls and leaves wheels with a brilliant shine.

Features, Advantages, Benefits

Features	Quickly and safely cleans wheels and tires in one easy step. Removes brake dust, road tar, grease and grime. Cleans the toughest scuffs and soil from tire sidewalls.
Advantages	Safe for use on clear coated wheels.
Benefits	Leaves wheels with a brilliant shine.

Typical Physical Properties

Container	16 ounce bottle with spray trigger
Color	Slight yellow
Flash Point	N/A
Consistency	Liquid
pH	10
Weight/Gallon	8.3 - 8.4 lbs/gal

Product Uses

3M™ Wheel & Tire Cleaner cleans wheels and tires in one easy step. Removes brake dust, road tar, grease and grime. Cleans soil and scuffs from tire side walls and leaves wheels with a brilliant shine.

Performance Properties

Handling and Application Information

Directions for Use

(Clean one wheel at a time)

Application: Note – Before cleaning painted wheels or hub caps, check the effect of the cleaner by applying a small amount to an inconspicuous area. Rinse and dry. If hazing occurs, do not

proceed.

1. Spray cleaner uniformly over entire wheel and tire area.
2. Scrub tire with a stiff bristle brush. Clean wheels and hub caps with a soft cloth or a small soft brush.
3. Rinse thoroughly with a strong water spray.

Applications

3M™ Wheel & Tire Cleaner is recommended for use in detailing new and used vehicles.

Storage and Handling

Refer to Material Safety Data Sheet for storage and handling information.

Precautionary Information

Refer to Product Label and Material Safety Data Sheet for Health and Safety Information before using this product. Before cleaning painted wheels or hub caps, check the effect of the cleaner by applying a small amount to an inconspicuous area. Rinse and dry. If hazing occurs, do not proceed.

Warranty and Limited Remedy

Technical Information: The technical information, recommendations and other statements contained in this document are based upon tests or experience that 3M believes are reliable, but the accuracy or completeness of such information is not guaranteed.

Product Use: Many factors beyond 3M's control and uniquely within user's knowledge and control can affect the use and performance of a 3M product in a particular application. Given the variety of factors that can affect the use and performance of a 3M product, user is solely responsible for evaluating the 3M product and determining whether it is fit for a particular purpose and suitable for user's method of application.

Warranty, Limited Remedy, and Disclaimer: Unless an additional warranty is specifically stated on the applicable 3M product packaging or product literature, 3M warrants that each 3M product meets the applicable 3M product specification at the time 3M ships the product. 3M MAKES NO OTHER WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY IMPLIED WARRANTY OR CONDITION ARISING OUT OF A COURSE OF DEALING, CUSTOM OR USAGE OF TRADE. If the 3M product does not conform to this warranty, then the sole and exclusive remedy is, at 3M's option, replacement of the 3M product or refund of the purchase price.

Limitation of Liability: Except where prohibited by law, 3M will not be liable for any loss or damage arising from the 3M product, whether direct, indirect, special, incidental or consequential, regardless of the legal theory asserted, including warranty, contract, negligence or strict liability.

For Additional Health and Safety Information

3M Automotive Aftermarket Division
3M Center, Building 223-6N-01
Saint Paul, MN 55144-1000
1-877-666-2277 (1-877-MMM-CARS)

This is the last page

<< End of Document >>